SIGMA-ALDRICH

SAFETY DATA SHEET

Version 3.8 Revision Date 09/29/2017 Print Date 02/17/2018

| 1.1 P P B C 2 Rel I 3 Det C 3 Det C T F 4 Em E 2. HAZA | DUCT AND COMPANY ID Product identifiers Product name Product Number Brand CAS-No. Plevant identified uses of t dentified uses stails of the supplier of the Company Felephone Fax mergency telephone numb | : the s : e saf : | Copper(II) sulfic 450820 Aldrich 1317-40-4 ubstance or mixture Laboratory chemicals | and uses advised a Synthesis of substa | - | | |
|--|---|-------------------------------|---|--|-------|---------------|----|
| F B C 2 Rel 10 3 Def C 3 Def 7 F 4 Em 2. HAZA | Product name Product Number Brand CAS-No. Hevant identified uses of t dentified uses stails of the supplier of the Company Felephone Fax hergency telephone numb | : the s : e saf : | 450820 Aldrich 1317-40-4 ubstance or mixture Laboratory chemicals ety data sheet Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63 USA +1 800-325-5832 | and uses advised a Synthesis of substa | - | | |
| E .2 Rel .3 Det .3 Det .4 Em E 2. HAZA | Brand CAS-No. Ievant identified uses of t dentified uses tails of the supplier of the Company Felephone Fax hergency telephone numb | the s : e saf : | Aldrich 1317-40-4 ubstance or mixture Laboratory chemicals ety data sheet Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63 USA +1 800-325-5832 | Synthesis of substa | - | | |
| .2 Rel Id .3 Def C T F .4 Em E 2. HAZA | elevant identified uses of t dentified uses etails of the supplier of the Company Felephone Fax mergency telephone numb | the s : e saf : | Laboratory chemicals ety data sheet Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63 USA +1 800-325-5832 | Synthesis of substa | - | | |
| 10 3 Def C T F 4 Em E 2. HAZA | dentified uses stails of the supplier of the Company Felephone Fax nergency telephone numb | e saf | Laboratory chemicals ety data sheet Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63 USA +1 800-325-5832 | Synthesis of substa | - | | |
| 3 Det C T 4 Em E 2. HAZA | e tails of the supplier of the Company Felephone Fax nergency telephone numb | e saf : : | ety data sheet Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63 USA +1 800-325-5832 | | ances | | |
| T F 4 Em E 2. HAZ/ | Company Telephone Fax nergency telephone num k | : | Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63 USA +1 800-325-5832 | 103 | | | |
| T F 4 Em E 2. HAZ/ | Telephone ⁻ ax nergency telephone num k | : : : ber | 3050 Spruce Street SAINT LOUIS MO 63 USA +1 800-325-5832 | 103 | | | |
| F .4 Em E 2. HAZA | ⁻ ax nergency telephone numb | : : ber | | | | | |
| E 2. HAZA | | ber | | | | | |
| 2. HAZ <i>A</i> | | | | | | | |
| | Emergency Phone # | : | +1-703-527-3887 (CH | EMTREC) | | | |
| | ARDS IDENTIFICATION | | | | | | |
| 1 Cla | assification of the substa | nce | or mixture | | | | |
| Not | t a hazardous substance of | or mix | ture. | | | | |
| 2 GH | IS Label elements, includ | ling | precautionary statem | ents | | | |
| Not | t a hazardous substance or | r mix | ture. | | | | |
| 3 Haz | zards not otherwise class | sified | d (HNOC) or not cove | red by GHS - none | | | |
| 3 COM | POSITION/INFORMATION | | | | | | |
| .1 Sul F M C E | bstances ^F ormula Molecular weight CAS-No. EC-No. | : | CuS 95.61 g/mol 1317-40-4 215-271-2 | | | | |
| | zardous components Component | | | Classification | | Concentratio | on |
| | Copper sulphide | | | Classification | | Concentration | |
| | | | | | | 90 - 100 % | |

4. FIRST AID MEASURES

4.1 Description of first aid measures

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration.

In case of skin contact

Wash off with soap and plenty of water.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water.

4.2 Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

- 5.2 Special hazards arising from the substance or mixture No data available
- **5.3** Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.
- 5.4 Further information No data available

6. ACCIDENTAL RELEASE MEASURES

- 6.1 Personal precautions, protective equipment and emergency procedures Avoid dust formation. Avoid breathing vapours, mist or gas. For personal protection see section 8.
- 6.2 Environmental precautions Do not let product enter drains.
- **6.3 Methods and materials for containment and cleaning up** Sweep up and shovel. Keep in suitable, closed containers for disposal.
- 6.4 Reference to other sections For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Provide appropriate exhaust ventilation at places where dust is formed.Normal measures for preventive fire protection. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities Keep container tightly closed in a dry and well-ventilated place.

Handle and store under inert gas. Moisture sensitive. Keep in a dry place.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

| Component | CAS-No. | Value | Control parameters | Basis |
|-----------------|-----------|-------|--------------------|---|
| Copper sulphide | 1317-40-4 | TWA | 1.000000 mg/m3 | USA. NIOSH Recommended Exposure Limits |
| | | TWA | 1.000000 mg/m3 | USA. NIOSH Recommended Exposure Limits |
| | | TWA | 1 mg/m3 | USA. NIOSH Recommended Exposure Limits |
| | | PEL | 1 mg/m3 | California permissible exposure limits for chemical contaminants (Title 8, Article 107) |

8.2 Exposure controls

Appropriate engineering controls

General industrial hygiene practice.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Do not let product enter drains.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

| a) | Appearance | Form: powder |
|----|---|---|
| b) | Odour | No data available |
| c) | Odour Threshold | No data available |
| d) | рН | No data available |
| e) | Melting point/freezing point | Melting point/range: 220 °C (428 °F) - dec. |
| f) | Initial boiling point and boiling range | No data available |
| g) | Flash point | Not applicable |
| h) | Evaporation rate | No data available |
| i) | Flammability (solid, gas) | No data available |
| j) | Upper/lower | No data available |

flammability or explosive limits

- k) Vapour pressure No data available I) Vapour density No data available m) Relative density 4.6 g/mL at 25 °C (77 °F) n) Water solubility No data available Partition coefficient: n-No data available O) octanol/water Auto-ignition No data available p) temperature Decomposition No data available q) temperature r) Viscosity No data available Explosive properties No data available s) t) Oxidizing properties No data available Other safety information
- 9.2 Other safety information No data available

10. STABILITY AND REACTIVITY

- 10.1 Reactivity No data available
- **10.2 Chemical stability** Stable under recommended storage conditions.
- **10.3 Possibility of hazardous reactions** No data available
- **10.4 Conditions to avoid** No data available
- **10.5** Incompatible materials Strong oxidizing agents, Strong acids
- Hazardous decomposition products
 Hazardous decomposition products formed under fire conditions. Sulphur oxides, Copper oxides
 Other decomposition products No data available
 In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity No data available

Inhalation: No data available

Dermal: No data available

No data available

Skin corrosion/irritation No data available

Serious eye damage/eye irritation No data available

Respiratory or skin sensitisation No data available

Germ cell mutagenicity

Hamster ovary DNA damage

Hamster Embryo Morphological transformation.

Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available

Additional Information

RTECS: GL8912000

Symptoms of systemic copper poisoning may include: capillary damage, headache, cold sweat, weak pulse, and kidney and liver damage, central nervous system excitation followed by depression, jaundice, convulsions, paralysis, and coma. Death may occur from shock or renal failure. Chronic copper poisoning is typified by hepatic cirrhosis, brain damage and demyelination, kidney defects, and copper deposition in the cornea as exemplified by humans with Wilson's disease. It has also been reported that copper poisoning has lead to hemolytic anemia and accelerates arteriosclerosis., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

12. ECOLOGICAL INFORMATION

12.1 Toxicity

No data available

- 12.2 Persistence and degradability No data available
- **12.3 Bioaccumulative potential** No data available
- 12.4 Mobility in soil No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

14. TRANSPORT INFORMATION

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

ΙΑΤΑ

Not dangerous goods

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

| The following components are subject to reporting levels | established by SARA Title III, | Section 313: |
|--|--------------------------------|---------------|
| | | Devision Dete |

| CAS-NO. | Revision Date |
|---------------------------|---------------|
| Copper sulphide 1317-40-4 | 2007-07-01 |

SARA 311/312 Hazards

No SARA Hazards

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components

| Copper sulphide | CAS-No. 1317-40-4 | Revision Date 2007-07-01 |
|-------------------------------------|----------------------|--------------------------|
| New Jersey Right To Know Components | | |
| Copper sulphide | CAS-No. 1317-40-4 | Revision Date 2007-07-01 |

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

HMIS Rating

| Health hazard: | 0 |
|------------------------|---|
| Chronic Health Hazard: | |
| Flammability: | 0 |
| Physical Hazard | 0 |
| NFPA Rating | 0 |

| Health hazard: | 0 |
|--------------------|---|
| Fire Hazard: | 0 |
| Reactivity Hazard: | 0 |

Further information

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 3.8

Revision Date: 09/29/2017

Print Date: 02/17/2018