SIGMA-ALDRICH

SAFETY DATA SHEET

Version 5.7 Revision Date 05/07/2018 Print Date 10/05/2018

1. PRODUCT AND COMPANY IDENTIFICATION

| 1.1 | Product identifiers Product name | : | 2,6-Di- <i>tert</i> -butyl-4-methylphenol |
|-----|-------------------------------------|----------|---|
| | Product Number Brand | : | 34750 Sigma-Aldrich |
| | CAS-No. | : | 128-37-0 |
| 1.2 | Relevant identified uses of | of the s | substance or mixture and uses advised against |

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

| Company | : | Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63103 USA |
|------------------|---|--|
| Telephone Fax | - | +1 800-325-5832 +1 800-325-5052 |

1.4 Emergency telephone number

| Emergency Phone # | : | +1-703-527-3887 (| (CHEMTREC) |) |
|-------------------|---|-------------------|------------|---|
|-------------------|---|-------------------|------------|---|

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute aquatic toxicity (Category 1), H400 Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



| Signal word | Warning |
|--|---|
| Hazard statement(s) H410 | Very toxic to aquatic life with long lasting effects. |
| Precautionary statement(s) P273 P391 P501 | Avoid release to the environment. Collect spillage. Dispose of contents/ container to an approved waste disposal plant. |

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

| Synonyms | BHT |
|----------|-----|

DBPC

2,6-Di-tert-butyl-p-cresol Butylhydroxytoluene Butylated hydroxytoluene

| Formula | : | C ₁₅ H ₂₄ O |
|---------------------|---|-----------------------------------|
| Molecular weight | : | 220.35 g/mol |
| CAS-No. | : | 128-37-0 |
| EC-No. | : | 204-881-4 |
| Registration number | : | 01-2119565113-46-XXXX |

Hazardous components

| Component | Classification | Concentration |
|----------------------------|---|---------------|
| 2,6-di-tert-Butyl-p-cresol | | |
| | Aquatic Acute 1; Aquatic Chronic 1; H410 | 90 - 100 % |

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture No data available

5.3 Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs. Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities Keep container tightly closed in a dry and well-ventilated place.

Storage class (TRGS 510): 13: Non Combustible Solids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

| Component | CAS-No. | Value | Control | Basis |
|----------------------|----------|--|-------------------------------|-----------------------------------|
| | | | parameters | |
| 2,6-di-tert-Butyl-p- | 128-37-0 | TWA | 2 mg/m3 | USA. ACGIH Threshold Limit Values |
| cresol | | | | (TLV) |
| | Remarks | Upper Respiratory Tract irritation | | |
| | | Not classifiable as a human carcinogen | | |
| | | TWA | 10 mg/m3 | USA. NIOSH Recommended |
| | | | | Exposure Limits |
| | | PEL | 10 mg/m3 | California permissible exposure |
| | | | limits for chemical contamina | |
| | | | | (Title 8, Article 107) |

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

| a) | Appearance | Form: crystalline Colour: white |
|----|--|--|
| b) | Odour | No data available |
| c) | Odour Threshold | No data available |
| d) | рН | No data available |
| e) | Melting point/freezing point | Melting point/range: 68 - 72 °C (154 - 162 °F) Melting point/range: 69 - 73 °C (156 - 163 °F) |
| f) | Initial boiling point and boiling range | 265 °C (509 °F) |
| g) | Flash point | 127.0 °C (260.6 °F) - closed cup |
| h) | Evaporation rate | No data available |
| i) | Flammability (solid, gas) | No data available |
| j) | Upper/lower flammability or explosive limits | No data available |
| k) | Vapour pressure | 0.01 hPa (0.01 mmHg) at 20.0 °C (68.0 °F) |
| I) | Vapour density | No data available |
| m) | Relative density | 1.05 g/cm3 at 20 °C (68 °F) |
| n) | Water solubility | 0.0004 g/l at 20 °C (68 °F) - slightly soluble |
| o) | Partition coefficient: n- octanol/water | log Pow: 5.1 |
| p) | Auto-ignition temperature | 470.0 °C (878.0 °F) |
| q) | Decomposition temperature | No data available |
| r) | Viscosity | 3.47 mm2/s at 80 °C (176 °F) - |
| s) | Explosive properties | No data available |
| | | |

| | t) | Oxidizing properties | No data available |
|-------|------------------------|--|--|
| 9.2 | Othe | r safety information | |
| | | Solubility in other solvents | Toluene - soluble Methanol - soluble Acetone - soluble |
| | | Dissociation constant | 12.2 |
| 10. 3 | STAB | LITY AND REACTIVITY | |
| 10.1 | Reac No da | tivity ata available | |
| 10.2 | | nical stability e under recommended stor | rage conditions. |
| 10.3 | | ibility of hazardous react ata available | tions |
| 10.4 | | litions to avoid ata available | |
| 10.5 | | npatible materials chlorides, Acid anhydrides, | , Oxidizing agents, Bases, Brass, Copper |
| 10.6 | Haza Other | rdous decomposition products rdous decomposition products - decomposition products - e event of fire: see section s | ucts formed under fire conditions Carbon oxides No data available |
| 11. | τοχις | OLOGICAL INFORMATIC | N |
| 11.1 | Info | ormation on toxicologica | l effects |
| | LD50 | u te toxicity Oral - Rat - male and fema D Test Guideline 401) | ale - > 6,000 mg/kg |
| | Inhala | ation: No data available | |
| | | Dermal - Rat - male and fe D Test Guideline 402) | emale - > 2,000 mg/kg |
| | No da | ata available | |
| | | corrosion/irritation ata available | |
| | Eyes Resu | us eye damage/eye irrita - Rabbit lt: No eye irritation d-across (Analogy)) | tion |
| | Germ Ames S. typ | iratory or skin sensitisat a cell mutagenicity s test himurium lt: negative | ion |

Mouse - male and female Result: negative

Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available

Additional Information

Repeated dose Rat - male and female - Oral - NOAEL : 25 mg/kg toxicity RTECS: GO7875000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

12. ECOLOGICAL INFORMATION

12.1 Toxicity

| Toxicity to fish | LC50 - Oryzias latipes - 5.3 mg/l - 48 h |
|---|---|
| Toxicity to daphnia and other aquatic invertebrates | static test EC50 - Daphnia magna (Water flea) - 0.48 mg/l - 48 h (OECD Test Guideline 202) |
| Toxicity to bacteria | Growth inhibition EC50 - Protozoa - 1.7 mg/l - 24 h |

12.2 Persistence and degradability

No data available

- **12.3 Bioaccumulative potential** No data available
- 12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

14. TRANSPORT INFORMATION

DOT (US)

Not dangerous goods

IMDG

UN number: 3077 Class: 9 Packing group: III EMS-No: F-A, S-F Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (2,6-di-tert-Butyl-p-cresol) Marine pollutant:yes

ΙΑΤΑ

UN number: 3077 Class: 9 Packing group: III Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (2,6-di-tert-Butyl-p-cresol)

Further information

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids.

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

~ · ~ · ·

. .

– (

SARA 311/312 Hazards

No SARA Hazards

Massachusetts Right To Know Components

| CAS-No. | Revision Date |
|----------|--|
| 128-37-0 | |
| | |
| CAS-No. | Revision Date |
| 128-37-0 | |
| | |
| CAS-No. | Revision Date |
| 128-37-0 | |
| | 128-37-0 CAS-No. 128-37-0 CAS-No. |

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

| Aquatic Acute Aquatic Chronic H400 H410 | Acute aquatic toxicity Chronic aquatic toxicity Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. |
|--|--|
| HMIS Rating | |
| Health hazard: | 0 |
| Chronic Health Haz | zard: |
| Flammability: | 1 |
| Physical Hazard | 0 |

NFPA Rating

| Health hazard: | 2 |
|--------------------|---|
| Fire Hazard: | 1 |
| Reactivity Hazard: | 0 |

Further information

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.7

Revision Date: 05/07/2018

Print Date: 10/05/2018