

# **SAFETY DATA SHEET**

Creation Date 13-Nov-2009 Revision Date 17-Jan-2018 Revision Number 4

# 1. Identification

Product Name Cobalt(II) chloride hexahydrate

Cat No.: C371100; C371500

CAS-No 7791-13-1

Synonyms Cobalt muriate hexahydrate; Cobaltous chloride hexahydrate

Recommended Use Laboratory chemicals.

Uses advised against Not for food, drug, pesticide or biocidal product use

### Details of the supplier of the safety data sheet

### Company

Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

#### **Emergency Telephone Number**

CHEMTREC®, Inside the USA: 800-424-9300 CHEMTREC®, Outside the USA: 001-703-527-3887

# 2. Hazard(s) identification

## Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity

Acute Inhalation Toxicity - Dusts and Mists

Respiratory Sensitization

Skin Sensitization

Germ Cell Mutagenicity

Carcinogenicity

Category 1

Category 2

Carcinogenicity

Category 1

Reproductive Toxicity

Category 1B

### Label Elements

## Signal Word

Danger

## **Hazard Statements**

Harmful if swallowed

May cause an allergic skin reaction

Harmful if inhaled

May cause allergy or asthma symptoms or breathing difficulties if inhaled

Suspected of causing genetic defects

May cause cancer by inhalation

May damage fertility



## **Precautionary Statements**

#### Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

In case of inadequate ventilation wear respiratory protection

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves

Do not breathe dust/fume/gas/mist/vapors/spray

#### Response

IF exposed or concerned: Get medical attention/advice

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician

#### Skin

IF ON SKIN: Wash with plenty of soap and water

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

#### Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

## Storage

Store locked up

## Disposal

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Very toxic to aquatic life with long lasting effects

# 3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Cobalt(II) chloride hexahydrate	7791-13-1	>95
Cobalt(II) chloride	7646-79-9	-

## 4. First-aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In

the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Inhalation Move to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth

> method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Immediate medical attention is required.

Do not induce vomiting. Call a physician or Poison Control Center immediately. Ingestion

Most important symptoms and

effects

None reasonably foreseeable. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergic skin reaction. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness,

lightheadedness, chest pain, muscle pain or flushing

Treat symptomatically Notes to Physician

# 5. Fire-fighting measures

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Suitable Extinguishing Media

**Unsuitable Extinguishing Media** No information available

**Flash Point** No information available Method -No information available

**Autoignition Temperature** 

**Explosion Limits** 

Upper No data available No data available Lower Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

#### **Specific Hazards Arising from the Chemical**

Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes. Do not allow run-off from fire fighting to enter drains or water courses.

## **Hazardous Combustion Products**

Hydrogen chloride gas Cobalt oxides.

## **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

N	F	Р	1	١
---	---	---	---	---

Health	Flammability	Instability	Physical hazards
3	0	0	N/A

## Accidental release measures

# **Personal Precautions**

**Environmental Precautions** 

Use personal protective equipment. Avoid dust formation. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas. Do not flush into surface water or sanitary sewer system. Do not allow material to

contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained. Should not be released into the environment.

Up

Methods for Containment and Clean Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dust formation.

	7. Handling and storage
Handling	Wear personal protective equipment. Avoid dust formation. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe vapors/dust. Do not ingest.
Storage	Keep containers tightly closed in a dry, cool and well-ventilated place.

# 8. Exposure controls / personal protection

#### **Exposure Guidelines**

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Cobalt(II) chloride	TWA: 0.02 mg/m <sup>3</sup>			
hexahydrate				
Cobalt(II) chloride	TWA: 0.02 mg/m <sup>3</sup>			

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

Engineering Measures Use only under a chemical fume hood. Ensure adequate ventilation, especially in confined

areas. Ensure that eyewash stations and safety showers are close to the workstation

location.

**Personal Protective Equipment** 

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

**Skin and body protection** Long sleeved clothing.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and chemical properties

Physical StateSolid CrystallineAppearanceReddish-violetOdorOdorless

Odor Threshold No information available

pH 4.6 50 g/l aq.sol
Melting Point/Range 86 °C / 186.8 °F
Boiling Point/Range No information available
Flash Point No information available

Evaporation Rate Not applicable

Flammability (solid,gas)

No information available

Flammability or explosive limits

UpperNo data availableLowerNo data availableVapor Pressurenegligible

Vapor Density Not applicable

Specific Gravity

No information available

Bulk Density1.92 g/cm3SolubilitySoluble in waterPartition coefficient; n-octanol/waterNo data available

Autoignition Temperature

Decomposition Temperature400 °CViscosityNot applicableMolecular FormulaCI2 Co . 6 H2 O

Molecular Weight 237.93

# 10. Stability and reactivity

Reactive Hazard None known, based on information available

**Stability** Stable under normal conditions.

Conditions to Avoid Avoid dust formation. Incompatible products. Exposure to moisture. Excess heat.

Incompatible Materials Strong oxidizing agents, Metals

Hazardous Decomposition Products Hydrogen chloride gas, Cobalt oxides

**Hazardous Polymerization** No information available.

**Hazardous Reactions**None under normal processing.

# 11. Toxicological information

**Acute Toxicity** 

**Product Information** 

Oral LD50 Category 4. ATE = 300 - 2000 mg/kg.

Mist LC50 Category 4. ATE = 1 - 5 mg/l.

**Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Cobalt(II) chloride hexahydrate	766 mg/kg ( Rat )	LD50 > 2 g/kg (Rat)	Not listed
Cobalt(II) chloride	586 mg/kg ( Rat )	Not listed	Not listed

**Toxicologically Synergistic** 

No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available

Sensitization No information available

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

	Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
C	obalt(II) chloride	7791-13-1	Group 2B	Reasonably	A3	X	Not listed
	hexahydrate		•	Anticipated			
C	obalt(II) chloride	7646-79-9	Group 2B	Reasonably	A3	X	Not listed
			•	Anticipated			

IARC: (International Agency for Research on Cancer)

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

ACGIH: (American Conference of Governmental Industrial

Hygienists)

A1 - Known Human Carcinogen A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

Mutagenic Effects Mutagenic effects have occurred in humans. Possible risk of irreversible effects

fertility.

**Developmental Effects** Developmental effects have occurred in experimental animals.

**Teratogenicity** Teratogenic effects have occurred in experimental animals.

**STOT - single exposure**STOT - repeated exposure
None known

Aspiration hazard No information available

delaved

Symptoms / effects,both acute and Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling

of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

**Endocrine Disruptor Information** No information available

Other Adverse Effects Tumorigenic effects have been reported in experimental animals.

# 12. Ecological information

#### **Ecotoxicity**

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment. May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Cobalt(II) chloride	Not listed	Not listed	= 16 mg/L EC50	Not listed
hexahydrate			Photobacterium	
•			phosphoreum 15 min as	
			Co++	
			= 160 mg/L EC50	
			Photobacterium	
			phosphoreum 5 min as	
			Co++	
			= 2.8 mg/L EC50	
			Photobacterium	
			phosphoreum 30 min as	
			Co++	
Cobalt(II) chloride	Not listed	Cyprinus carpio: LC50=0.33	Not listed	1.1-1.6 mg/L 48h
		mg/L 96h		_

Persistence and Degradability

based on information available. May persist

**Bioaccumulation/ Accumulation** 

No information available.

Mobility

Will likely be mobile in the environment due to its water solubility.

Component	log Pow
Cobalt(II) chloride	0.85

## 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

## 14. Transport information

DOT

UN-No

**Proper Shipping Name** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

Proper technical name Cobalt(II) chloride hexahydrate

**Hazard Class Packing Group** Ш

**TDG** 

**UN-No** UN3077

**Proper Shipping Name** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

**Hazard Class** 9 **Packing Group** Ш

IATA

**UN-No** UN3077

**Proper Shipping Name** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

**Hazard Class Packing Group** Ш

## Cobalt(II) chloride hexahydrate

IMDG/IMO

**UN-No** UN3077

Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

Hazard Class 9
Packing Group

# 15. Regulatory information

All of the components in the product are on the following Inventory lists: X = listed

### **International Inventories**

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Cobalt(II) chloride	-	-	-	-	-		Х	-	Χ	Х	-
hexahydrate											
Cobalt(II) chloride	Χ	Χ	-	231-589-4	1		Χ	Χ	Χ	Х	Χ

#### Legend:

X - Listed

- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule
- T Indicates a substance that is the subject of a Section 4 test rule under TSCA.
- XU Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).
- Y1 Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.
- Y2 Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

### U.S. Federal Regulations

TSCA 12(b) Not applicable

#### **SARA 313**

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Cobalt(II) chloride hexahydrate	7791-13-1	>95	0.1
Cobalt(II) chloride	7646-79-9	-	0.1

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act) Not applicable

## Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Cobalt(II) chloride hexahydrate	X		-
Cobalt(II) chloride	X		-

**OSHA** Occupational Safety and Health Administration

Not applicable

CERCLA Not applicable

California Proposition 65 This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Cobalt(II) chloride	-	X	X	X	-

\_\_\_\_\_

hexahydrate					
Cobalt(II) chloride	-	X	X	X	-

#### **U.S. Department of Transportation**

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

#### U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

#### Other International Regulations

Mexico - Grade No information available

16. Other information	
-----------------------	--

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 13-Nov-2009

 Revision Date
 17-Jan-2018

 Print Date
 17-Jan-2018

Revision Summary

This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**